

Nei lavori nn 4, 5, 6, 8, 11, 12 e 13 è fatta esplicita menzione alla Coorte CAVeAT

1) Parisi SG, Boldrin C, Andreis S, Ferretto R, Fuser R, Malena M, Manfrin V, Panese S, Scaggiante R, Dori L, Sarmati L, Biasolo MA, Nicastrì E, Andreoni M, Cruciani M, Palù G: HHV8-DNA viraemia correlates with low CD4+ cell counts in Italian males at HIV infection diagnosis.

**Journal of Medical Virology, 2011, 83:384-390.**

2) Parisi SG, Andreoni C, Sarmati L, Boldrin C, Buonomini AR, Andreis S, Scaggiante R, Cruciani M, Bosco O, Manfrin V, d'Ettorre G, Mengoli C, Vullo V, Palù G, Andreoni M: A study of HIV coreceptor tropism in paired plasma, PBMC and cerebrospinal fluid isolates from antiretroviral naïve subjects

**Journal of Clinical Microbiology, 2011, 49(4):1441-1445.**

3) Parisi SG, Cruciani M, Scaggiante R, Boldrin C, Andreis S, Dal Bello F, Pagni S, Barelli A, Sattin A, Mengoli C, Palù G. Anal and oral human papillomavirus (HPV) infection in HIV-infected subjects in northern Italy: a longitudinal cohort study among men who have sex with men.

**BMC Infectious Diseases, 2011, 11:250, pubblicato on line il 25 maggio 2011.**

4) Parisi S.G, Andreis S., Mengoli C., Scaggiante R., Ferretto R., Manfrin V., Cruciani M., Giobbia M., Boldrin C., Basso M., Andreoni M., Palù G., Sarmati L. Baseline Cellular HIV DNA Load Predicts HIV DNA Decline and Residual HIV Plasma Levels During Effective Antiretroviral Therapy.

**Journal of Clinical Microbiology, 2012, 50(2) 258-63.**

5) Parisi SG, Andreis S, Scaggiante R, Cruciani M, Ferretto R, Manfrin V, Panese S, Rossi MC, Francavilla E, Boldrin C, Dal Bello F, Basso M, Mengoli C, Andreoni M, Palù G: Decreasing trends of drug resistance and increase of non-B subtypes amongst subjects recently diagnosed as HIV infected over the 2004 - 2012 period in the Veneto Region (Italy).

**Journal of Global Antimicrobial Resistance, 1 (2013) 201 – 206**

6) Parisi SG, Andreis S, Mengoli C, Scaggiante R, Cruciani M, Ferretto R, Manfrin V, Panese S, Basso M, Boldrin C, Bressan S, Sarmati L, Andreoni M and Palù G. A stable CC-chemokine receptor (CCR)-5 tropic virus is correlated with the persistence of HIV RNA at less than 2.5 copies in successfully treated naïve subjects.

**BMC Infectious Diseases, 2013, 13:314**

7) Basso M, Franzetti M, Scaggiante R, Sattin A, Mengoli C, Cruciani M, Ficon M, Palù

G and Parisi SG: HCV RNA viral load is independent from CD4 cell count and plasma HIV RNA viral load in immunocompetent HIV-HCV co-infected patients: a 3-years follow-up study

**AIDS Research and Therapy**, 2014, 11:21.

8) Parisi SG, Sarmati L, Andreis S, Scaggiante R, Cruciani M, Ferretto R, Manfrin V, Basso M, Andreoni M, Mengoli C, Palù G: Strong and persistent correlation between baseline and follow-up HIV-DNA levels and residual viremia in a population of naïve patients with more than 4 years of effective antiretroviral therapy.

**Clinical Microbiology and Infection**, 2015, 21(3): 288.e5 – 288.e7.

9) R Scaggiante, S Andreis, M Basso, E Franchin, M Franzetti, C Del Vecchio, C Torti, C Mengoli, M Cruciani, L Sarmati, G Palù, S G Parisi: Epstein-Barr and Cytomegalovirus DNA salivary shedding correlate with long-term plasma HIV RNA detection in HIV-infected men who have sex with men

**Journal of Medical Virology**, 2016, 88(7): 1211-1221.

10) Mengoli C, Andreis S, Scaggiante R, Cruciani M, Bosco O, Ferretto R, Leoni D, Maffongelli G, Basso M, Torti C, Sarmati L, Andreoni M, Palù G, and Parisi SG Structural-equation-modelling of the viral tropism reveals its impact on achieving viral suppression within six months in treatment naïve patients infected by HIV-1 after combination antiretroviral therapy.

**Journal of Antimicrobial Chemotherapy**, 2017, 72 (1): 220-226  
doi:10.1093/jac/dkw348

11) Andreis S, Basso M, Scaggiante R, Cruciani M, Ferretto R, Manfrin V, Panese S, Rossi MC, Francavilla E, Boldrin C, Alvarez M, Dal Bello F, Mengoli C, Turriziani O, Sarmati L, Antonelli G, Andreoni M, Palu` G and Parisi SG. Drug resistance in B and non-B subtypes amongst subjects recently diagnosed as primary/recent or chronic HIV-infected over the period 2013–2016: impact on susceptibility to first-line strategies including Integrase strand-transfer inhibitors

**Journal of Global Antimicrobial Resistance** 2017, 10: 106-112

12) Basso M, Andreis S, Scaggiante R, Franchin E, Zago D Biasolo MA Del Vecchio C, Mengoli C, Sarmati L, Andreoni M, Palu` G and Parisi SG Cytomegalovirus, Epstein-Barr virus and human herpesvirus 8 salivary shedding in HIV positive men who have sex with men with controlled and uncontrolled plasma HIV viremia: a 24-month longitudinal study

**BMC Infectious Diseases**, 2018, 18:683, <https://doi.org/10.1186/s12879-018-3591-x>

13) Carlo Mengoli, Monica Basso, Samantha Andreis, Renzo Scaggiante, Mario Cruciani, Roberto Ferretto, Sandro Panese, Vinicio Manfrin, Daniela Francisci, Elisabetta Schiaroli, Gaetano Maffongelli, Loredana Sarmati, Massimo Andreoni, Franco Baldelli, Giorgio Palu`, and Saverio Giuseppe Parisi Role of pretreatment variables on plasma HIV RNA value at the sixth month of antiretroviral therapy including all first line drugs in HIV naïve patients: a path analysis approach

**PLoS ONE 2019**, 14(3): e0213160

I.F. 2.766